

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	237	370/395.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:12
S1	2	("6693456").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:10
S2	957	380/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:34
S3	231	permutat\$3 with (\$3plex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:35
S4	186	permutat\$3 with (\$3tiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:36
S5	194	permutat\$3 with (\$6tiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:37
S6	5	permutat\$3 with (\$6tiplex\$3) and (switch\$3) and (FPGA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:42
S7	1	permutat\$3 with (\$6tiplex\$3) and (switch\$3) and (FPGA) and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:46
S10	0	((bit adj level) near\$3 permutat\$3) and (\$6tiplex\$3) and (switch\$3) and (FPGA) and (broadcast\$3 advertis\$3 announc\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:48
S11	0	((bit adj level) with permutat\$3) and (\$6tiplex\$3) and (switch\$3) and (FPGA) and (broadcast\$3 advertis\$3 announc\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:48

S12	4	((bit adj level) with permutat\$3) and (\$6tiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:18
S13	3	((bit adj level) with permutat\$3) and (\$6tiplex\$3) and (switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:19
S14	30	(permutat\$3) and (\$6tiplex\$3) and (switch\$3) and (FPGA) and (broadcast\$3 advertis\$3 announc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:20
S15	60	(US-20020093952-\$).did. or (US-4542497-\$ or US-5018129-\$ or US-5535373-\$ or US-5612953-\$ or US-5774698-\$ or US-5794061-\$ or US-5825517-\$ or US-5940389-\$ or US-5987028-\$ or US-6018523-\$ or US-6721311-\$ or US-5841775-\$ or US-5812767-\$ or US-5479403-\$ or US-5440553-\$ or US-5406556-\$ or US-5319639-\$ or US-5293489-\$ or US-5274642-\$ or US-5197064-\$ or US-5172371-\$ or US-5138611-\$ or US-5124978-\$ or US-5084871-\$ or US-5043980-\$ or US-4887076-\$). did. or (US-4817084-\$ or US-4813038-\$ or US-4797880-\$ or US-4779263-\$ or US-4720850-\$ or US-4644533-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:52
S16	1	permutat\$3 same (\$6tiplex\$3) and (switch\$3) and (FPGA) and (broadcast\$3 advertis\$3 announc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:53
S17	30	(permutat\$3) and (\$6tiplex\$3) and (switch\$3) and (FPGA) and (broadcast\$3 advertis\$3 announc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:27
S18	30	(Benes fabric permutation switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over crossover bit level bit-level cross-over cross over crossover pass-through pass through passthrough) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:58

S20	1	permutat\$3 with (\$6tiplex\$3) and (switch\$3) and (FPGA) and (broadcast\$3 advertis\$3 announc\$3 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:42
S21	27	(register with switch\$3) same permutat\$3 and level and \$6tiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:02
S22	9	(register with switch\$3) same permutat\$3 and level and \$6tiplex\$3 and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:53
S23	13	"5319639"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 17:57
S24	13	(Benes fabric permutation switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over crossover bit level bit-level cross-over cross over crossover pass-through pass through passthrough key) and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:18
S25	0	(Benes fabric permutation switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over crossover bit level bit-level cross-over cross over crossover pass-through pass through passthrough key) and S23 and (benes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:02
S26	3	(register with switch\$3) same permutat\$3 and level and \$6tiplex\$3 and benes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:02
S27	1	(benes adj fabric) with permutat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:03
S28	1	(benes adj fabric) same permutat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:03

S29	1	(benes adj fabric) and permutat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:03
S30	41	(benes with permutat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:05
S31	1	(benes with permutat\$3) same broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 18:05
S32	10	(benes with permutat\$3) and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:32
S33	10	(benes with permutat\$3) and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:18
S34	10	(Benes fabric permutation switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over crossover bit level bit-level cross-over cross over crossover pass-through pass through passthrough key) and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:18
S35	0	benes same permutat\$3 same (\$2crypt\$3 \$2cipher\$3 \$2scrambl\$3) same key and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:33
S36	0	benes same permutat\$3 same (\$2crypt\$3 \$2cipher\$3 \$2scrambl\$3) and key and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:33
S37	1	benes same permutat\$3 and (\$2crypt\$3 \$2cipher\$3 \$2scrambl\$3) and key and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:34

S38	1	benes and permutat\$3 and (\$2crypt\$3 \$2cipher\$3 \$2scrambl\$3) and key and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:34
S39	6	benes and permutat\$3 and (\$2crypt\$3 \$2cipher\$3 \$2scrambl\$3) and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 15:34
S40	12	(US-20020040429-\$ or US-20020051534-\$ or US-20040196923-\$ or US-20040208243-\$).did. or (US-5319639-\$ or US-5608448-\$ or US-5784636-\$ or US-6456620-\$ or US-6456838-\$ or US-6683854-\$ or US-6693903-\$ or US-6757334-\$). did.	US-PGPUB; USPAT	OR	ON	2005/09/12 19:35
S41	12	(Benes fabric permutation switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over cross\$3 crossover state parallel) and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:36
S42	12	(Benes fabric permutat\$3 switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over cross\$3 crossover state parallel) and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 20:01
S43	128	permutat\$3 with (\$6tiplex\$3) and (switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:43
S44	14	permutat\$3 with (\$6tiplex\$3) and (switch\$3) and cross\$6 and parallel and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:46
S45	1	benes adj fabric and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:57
S46	0	benes adj fabric and (broad adj cast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:48

S47	0	benes adj fabric and (broad-cast\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:48
S48	125	benes and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:57
S49	116	benes and switch\$3 and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:57
S50	57	benes same switch\$3 and broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 19:58
S51	7	benes same switch\$3 same broadcast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 20:01
S52	7	(Benes fabric permutat\$3 switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over cross\$3 crossover state parallel) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:38
S53	4	"6693456"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 20:06
S54	4	"6693456"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:31
S55	4	(Benes fabric permutat\$3 switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over cross\$3 crossover state parallel) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:04

S56	15	(US-20020040429-\$ or US-20020051534-\$ or US-20040196923-\$ or US-20040208243-\$).did. or (US-5319639-\$ or US-5608448-\$ or US-5784636-\$ or US-6456620-\$ or US-6456838-\$ or US-6683854-\$ or US-6693903-\$ or US-6757334-\$ or US-5801641-\$ or US-5451936-\$ or US-6693456-\$).did.	US-PGPUB; USPAT	OR	ON	2005/09/13 14:03
S57	15	(Benes fabric permutat\$3 switch\$2 \$2multiplex\$3 combin\$3 convolut\$3 mux multiplex\$2 switch\$3 broadcast\$3 node input output plurality cross-over cross\$3 crossover state parallel) and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:04